












surge suppressor, suppression diode 12-250 V DC, for contactors 3RT2.1 and auxiliary contactors 3RH2

product brand name	SIRIUS		
product designation	surge suppressor		
<b>General technical data</b>			
size of contactor	S00		
type of voltage of the control supply voltage	DC		
certificate of suitability	CE / UL / CSA		
Substance Prohibitance (Date)	10/01/2009		
type of voltage of the control supply voltage	DC		
control supply voltage 1	12 ... 250 V		
• at DC			
design of the surge suppressor	diode		
<b>Ambient conditions</b>			
ambient temperature	-25 ... +60 °C		
• during operation			
• during storage	-40 ... +80 °C		
<b>Installation/ mounting/ dimensions</b>			
mounting position	any		
fastening method	clip-on		
height	46 mm		
width	28 mm		
depth	9 mm		
<b>Certificates/ approvals</b>			
General Product Approval	EMC	Declaration of Conformity	
 <a href="#">Confirmation</a>			
			
Declaration of Conformity	Test Certificates	Marine / Shipping	
 EG-Konf.	<a href="#">Special Test Certificate</a>	<a href="#">Type Test Certificates/Test Report</a>	
			
			
Marine / Shipping	other	Railway	Environment



[Confirmation](#)



[Vibration and Shock](#)

[Environmental Con-  
firmations](#)

#### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-1DG00>

**Cax online generator**



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-1DG00>


**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-1DG00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT2916-1DG00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-1DG00&lang=en)





---

last modified:

1/26/2022 