












surge suppressor, diode combination, 30-250 V DC, for contactors 3RT2.2

product brand name	SIRIUS		
product designation	surge suppressor		
<b>General technical data</b>			
size of contactor	S0		
certificate of suitability	CE / UL / CSA		
Substance Prohibitance (Date)	10/01/2009		
type of voltage of the control supply voltage	DC		
control supply voltage 1	30 ... 250 V		
• at DC			
design of the surge suppressor	Diode combination		
<b>Ambient conditions</b>			
ambient temperature	-25 ... +60 °C		
• during operation			
• during storage	-40 ... +80 °C		
<b>Installation/ mounting/ dimensions</b>			
mounting position	any		
fastening method	clip-on		
height	19 mm		
width	30 mm		
depth	12 mm		
<b>Approvals Certificates</b>			
General Product Approval	EMC	Declaration of Conformity	
 CSA	<a href="#">Confirmation</a>	 UR	 EAC
		 RCM	 UKCA
Declaration of Conformity	Test Certificates	Marine / Shipping	
 EG-Konf.	<a href="#">Type Test Certificates/Test Report</a>	<a href="#">Special Test Certificate</a>	 BUREAU VERITAS
		 DNV	 PRS
Marine / Shipping	other	Railway	Environment



[Confirmation](#)



[Vibration and Shock](#)

[Environmental Con-  
firmations](#)

#### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2926-1ES00>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2926-1ES00>


**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2926-1ES00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT2926-1ES00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2926-1ES00&lang=en)





---

last modified:

10/22/2022 