

# Product data sheet

Specifications



## Limit switch head, Limit switches XC Standard, ZCE, metal end plunger

ZCE10

### Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Plunger head
Product compatibility	XCMD XCKT XCKD XCKP

Associated body	ZCD37 ZCMD37L1 ZCP27 ZCT27G11 ZCMD21C12 ZCD35 ZCMD37L2 ZCMD21L2 ZCD31 ZCMD25L5 ZCT26N12 ZCMD81L2 ZCT28G11 ZCD28 ZCD27 ZCT21N12 ZCMD41L2 ZCD26 ZCMD37L5 ZCMD21M12 ZCT26P16 ZCP29M12 ZCMD41L1 ZCD29M12 ZCD21 ZCMD29L1 ZCMD29L5 ZCT21G11 ZCP21M12 ZCMD61C12 ZCMD81L5 ZCMD39L5 ZCT27N12 ZCT25G11 ZCMD29C12 ZCMD21L08U78 ZCMD25L2 ZCD39 ZCP26 ZCP29 ZCMD69C12 ZCP39 ZCP25 ZCT25N12 ZCMD25L1 ZCT28N12
-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ZCT27P16  
 ZCP35  
 ZCD25  
 ZCMD39L1  
 ZCD29  
 ZCT26G11  
 ZCD21M12  
 ZCMD21L1  
 ZCT21P16  
 ZCMD41L5  
 ZCP37  
 ZCP28  
 ZCMD21L08R12  
 ZCP21  
 ZCMD29L2  
 ZCT25P16  
 ZCMD81L1  
 ZCMD39L2  
 ZCMD61M12  
 ZCP31  
 ZCMD21L5  
 ZCT28P16

<b>Movement of operating head</b>	Linear
<b>Type of operator</b>	End plunger spring return metal
<b>Type of approach</b>	Vertical approach, 1 direction

## Complementary

<b>Positive opening</b>	With
-------------------------	------

## Environment

<b>Ambient air temperature for operation</b>	-25...70 °C
----------------------------------------------	-------------

<b>Ambient air temperature for storage</b>	-40...70 °C
--------------------------------------------	-------------

<b>Environmental characteristic</b>	Standard environment
-------------------------------------	----------------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

<b>Number of Units in Package 1</b>	1
-------------------------------------	---

<b>Package 1 Height</b>	1.5 cm
-------------------------	--------

<b>Package 1 Width</b>	3 cm
------------------------	------

<b>Package 1 Length</b>	2.5 cm
-------------------------	--------

<b>Package 1 Weight</b>	9 g
-------------------------	-----

<b>Unit Type of Package 2</b>	BB1
-------------------------------	-----

<b>Number of Units in Package 2</b>	10
-------------------------------------	----

<b>Package 2 Height</b>	49 cm
-------------------------	-------

<b>Package 2 Width</b>	94 cm
------------------------	-------

<b>Package 2 Length</b>	95 cm
-------------------------	-------

<b>Package 2 Weight</b>	0.09 kg
-------------------------	---------

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
---------------------------------	-----------------------

<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
-------------------------	-----------------------------------

<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
--------------------------	---------------------------------------------------------------------------------------------------

<b>Mercury free</b>	Yes
---------------------	-----

<b>RoHS exemption information</b>	<a href="#">Yes</a>
-----------------------------------	---------------------

**California proposition 65**

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

---

**Contractual warranty**

<b>Warranty</b>	18 months
-----------------	-----------

**Recommended replacement(s)**